

The logo features the text "COOL IT" in a bold, italicized, yellow sans-serif font with a registered trademark symbol (®) to its right. Below this, a horizontal yellow line separates the text from "Thermo Tec", which is written in a similar bold, italicized, yellow sans-serif font. The entire logo is contained within a yellow rectangular border. Behind the logo is a stylized, black and white checkered flag with a wavy, ribbon-like appearance.

COOL IT[®]
Thermo Tec

*PERFORMANCE
& HEAT CONTROL
PRODUCTS*

2006

Often copied, never equaled.

The saying goes that Imitation is the sincerest form of flattery. If that's true, then Thermo-Tec has been receiving compliments for years. Since the introduction of our Original Exhaust Insulating Wrap in 1986, many products have tried to copy its success. None have come close. Thermo-Tec is the industry leader in exhaust insulating and heat protection products.

For almost twenty years, Thermo-Tec's dedication to R&D and extensive testing both on and off the track has set the standard for managing the destructive nature of automotive exhaust heat. With a full product line, now numbering over 130 products, Thermo-Tec continues to raise the bar. With the introduction of Generation II Copper Exhaust Insulating Wrap and the Micro Louver Heat Shield, and the expansion of the product line into the acoustical mat arena with the Super Sonic Mat and the Suppressor, Thermo-Tec brings its commitment to premium quality to new areas of endeavor. You can be assured that Thermo-Tec will continue to offer the best, whether it is heat insulation products or acoustical control products. If you and your vehicle deserve the best, look no further than Thermo-Tec. We are the products that set the standards.



Table of Contents

History of Thermo-Tec

Exhaust Insulating Wrap	3 - 4
Generation II Copper	4
High-Velocity Exhaust Jackets	4
High Performance Products	
Clamp-On Heat Shield	5
Header Manifold Blanket	5
Turbo Insulating Kit	6
Snap Strap	6
Accessories	
Hi-Heat Coating	7
Heavy-Duty Spray Adhesive	7
Heat Protecting Products	
Battery Wrap Heat Barrier	8
Thermo-Sleeve	8
Starter Heat Shield	9
Spark Plug Wire Heat Shield	9
Cool-It Plug Wire Sleeves	10
Thermo-Flex Plug Wire Heat Shield	10
Cool-Air Tube Heat Shield	11

Heat Barrier Shields

Thermo-Flex	12
Micro Louver Heat Shield	13
Adhesive-Backed Heat Barrier	13
Aluminized Heat Barrier	14
Thermo-Shield	14
Fire-Proof Shifter Boot	15
Muffler/CAT Heat Shield	15
Competition Floor Insulating Mat	16
C5 Corvette Tunnel Heat Shield	16
Heat & Sound Protection	
Cool-It Insulating Mat	17
Thermo-Guard FR	17
Acoustical Products	
Super Sonic Mat	18
The Suppressor	18

Thermo-Tec Products - Made in the U.S.A.

EXHAUST INSULATING WRAP



The Original Exhaust Insulating Wrap™ was developed almost 20 years ago by Thermo-Tec™. Exhaust Insulating Wrap is an innovative way to create more horsepower and reduce temperatures under the hood. Wrapping headers with Exhaust Insulating Wrap maintains hotter exhaust gases that exit the system faster through decreased density. This produces increased exhaust scavenging, as well as lower intake temperatures. Exhaust Insulating Wrap withstands continuous heat up to 2000°F; it contains no asbestos. Thermo-Tec's Exhaust Wrap will not over-insulate a system when properly installed, due to its proprietary coating - Thermo-Conductive-Technology (T-C-T™), specially developed by Thermo-Tec, that conducts heat across the wrap's surface. This unique coating controls heat buildup and dissipation. Exhaust Insulating Wrap, available in natural and graphite black colors, is sold in 15 and 50 ft. rolls, 1 and 2 inches wide. All Exhaust Wrap has a low profile 1/16 inch thickness.



Part Number	Description
11001	1 in. x 1/16 in. x 50 ft.
11002	2 in. x 1/16 in. x 50 ft.
11003	2 in. x 1/16 in. x 100 ft.
11151	1 in. x 1/16 in. x 15 ft.
11152	2 in. x 1/16 in. x 15 ft.
Graphite Black Wrap	
11021	1 in. x 1/16 in. x 50 ft.
11022	2 in. x 1/16 in. x 50 ft.
11023	2 in. x 1/16 in. x 100 ft.
11153	1 in. x 1/16 in. x 15 ft.
11154	2 in. x 1/16 in. x 15 ft.

Reduces under-hood temperatures up to 70%
Increases horsepower and fuel efficiency
Withstands continuous heat up to 2000°F
Increases life of the engine and electronic system components

3

"The Confederate F113 Hellcat "B" and the 2006 B91 Wraith are the embodiment of a 15-year-long design process steeped in a fanatical devotion to the perfection of motorcycling. Blazing speed, mountains of torque, a super-light world-class chassis, the most advanced components available."

Confederate Uses Thermo-Tec!



EXHAUST INSULATING WRAP

Generation II Copper™ Exhaust Insulating Wrap

Revolutionary! The best just got better!



Patent Pending

Generation II COPPER Header Wrap improves heat resistance up to 30% more than current insulating technology, by utilizing a new proprietary coating developed by Thermo-Tec - improved Thermal-Conductive-Technology (T-C-T). Available in 50' lengths, 1" and 2" widths.

HI-HEAT COPPER COATING

Part of Thermo-Tec's tri-coating system, it enhances the performance of all Thermo-Tec Exhaust Wraps. Advanced T-C-T is proprietary and only available through Thermo-Tec's world-wide distribution network.

Tri-coated performance enhancing system

Part Number	Description
11031	1" x 50'
11032	2" x 50'
12003	Hi-Heat Coating, Copper

High-Velocity Exhaust Jackets™



Reduces underhood temps up to 70%
Installs with headers mounted

The Quick Wrap High-Velocity Exhaust Jacket™ is an innovative way to insulate and block radiant heat, using Thermal-Conductive-Technology. The jacket covers the tubes vertically allowing for a consistent fit. This allows the exhaust system to expand without restriction as it comes up to operating temperature and provides air space for added insulation. High-Velocity Exhaust Jackets can be applied with the headers on the vehicle.

Part Number	Description
11246	4-6 Cylinder kit
11248	8 Cylinder kit

4

"I proceeded to wrap both the headers down to the collector. The results were surprising. Not only did the huge volume of heat pouring from the vents in the bodywork cease to be an issue, but my oil temperature gauge also registered nearly 20° cooler"
(Copyright permission Motorcycle Product News 08/05)

HIGH PERFORMANCE PRODUCTS

Clamp-On Heat Shield

The flexible Clamp-On Heat Shield blocks more than 90% of damaging radiant heat from the exhaust. The high-tech composite construction provides the ultimate in protection, incorporating T-C-T, Thermo-Tec's proprietary coating technology. Clamp-On Shields are available in 1', 2' and 3' lengths; kits come complete with all clamps and install in minutes.



Patent Pending

**Blocks 90% of radiant heat
Installs in minutes**

Part Number	Description
11600	1 ft. Clamp-On kit
11620	2 ft. Clamp-On kit
11630	3 ft. Clamp-On kit

Header Manifold Blanket

The Header Manifold Blanket provides excellent heat retention for exhaust headers and manifolds. This flexible heat shield simply clips into place on the upper portion of the header. The fabric side of the material faces the heat source; the aluminized side faces away, offering protection from abrasion and harmful liquid spills. The Header Manifold Blanket is available in two different kits: Two (2) 20" x 24" blankets for V-6 and V-8 applications; One (1) 36" x 40" blanket for straight 6 & 4 cylinder engines.



Great for wrapping cast iron and RV applications

Part Number	Description
14003	V-6 and V-8
14004	4-cylinder & straight 6

Photo courtesy of
Mid-USA Motorcycle Parts,
St. Louis, MO.



HIGH PERFORMANCE PRODUCTS


Turbo Insulating Kit



The Turbo Kit was designed to protect and improve performance of the turbo. This universal kit will keep the turbo spooled up; it virtually eliminates turbo lag. The custom cut-to-fit kit comes with a substantial amount of material to cover turbos from the smallest automotive application to heavy-duty truck applications. Two Turbo Kits are available: a 4 cylinder kit and one for 6 & 8 cylinders.

Part Number	Description
15001	4 Cylinder kit
15002	6 & 8 Cylinder kit

Snap Strap™



New and improved! Same quality stainless steel straps with a dependable multi-lock system, now in standard lengths. No more cutting to length, then attaching the lock. Narrow width straps come in precut lengths with the multi-lock already attached - just insert the end and pull to tighten. Snap Strap comes in individual sizes of 9" and 18"; also in kits for V-6 or V-8 applications.

Part Number	Description
13101	V-8 Kit 8 - 9" straps, 4 - 18" straps
13105	V-6 Kit 6 - 9" straps, 4 - 18" straps
13150	12 pack 9" 12 - 9" straps
13160	6 pack 18" 6 - 18" straps

RX7 photos courtesy of
Nate Davis
Trial One Racing



ACCESSORIES

Hi-Heat Coating

Use the Hi-Heat Coating to finish off a clean and well-protected Exhaust Insulating Wrap installation. The coating will protect the wrap from abrasion and harmful liquid spills. Extra resins and binders toughen the surface and help extend the life of the wrap by protecting it from friction. They also seal the pores to minimize the penetration of harmful liquids. The 11 oz. spray coating now comes in three colors - black, aluminum and new copper.



Patent
Pending

Part Number	Description
12001	Black, 11 oz.
12002	Aluminum, 11 oz.
12003	NEW Copper, 11 oz.

Metallic-based coating for
performance enhancement

Heavy-Duty Spray Adhesive

Heavy-Duty Spray Adhesive is the answer when you need a quick-drying, long-lasting spray adhesive in a high-temperature application. Extra-strong contact-style adhesive sets quickly, lasts even in high-temperature situations. Use with Thermo-Guard FR, Cool-It Insulating Mat, Aluminized Heat Barrier and more. Comes in a large 16 oz. spray can.



Part Number	Description
12005	Heavy-Duty Spray Adhesive, 16 oz.

Thermo-Tec is a proud
sponsor of the ARCA
Racing Series.



HEAT PROTECTING PRODUCTS

Battery Wrap Heat Barrier™



Acid Neutralizer
Ultimate in protection from
heat and vibration that
destroys batteries

Battery Wrap is a combination of materials designed to provide the ultimate in protection from battery-destroying heat and vibration. The black felt material is treated with a proprietary material that neutralizes acid. This adhesive-backed heat barrier protects components from conductive and radiant heat. The heat barrier is made up of woven silica with a flexible aluminized finish. The highly reflective surface of this material is capable of withstanding radiant temperatures in excess of 2000°F. Battery Wrap is available in a kit that includes an 8" x 40" piece.

Part Number	Description
13200	Battery Wrap Barrier kit

Thermo-Sleeve™



Thermo-Sleeve is the combination of a high temperature fabric laminated to a highly reflective Mylar foil. It provides protection from radiant heat for hoses and wires. Thermo-Sleeve's ultra lightweight construction provides more insulation than traditional bulky rubber-coated fiberglass. The aluminized sleeve reflects more than 90% of radiant heat; it is fireproof and oil resistant. Thermo-Sleeve is packaged in 3' or 12' lengths, five different inside diameter sizes. It is also available in custom lengths for special applications.

Part Number	Description
14005	3 ft. 1/4in. - 1/2 in.
14010	3 ft. 5/8in. - 1 in.
14015	3 ft. 1-1/8in. - 1-1/2 in.
14020	3 ft. 1-5/8in. - 2 in.
14025	3 ft. 2-1/8in. - 2-1/2 in.
14006	12 ft. 1/4in. - 1/2 in.
14011	12 ft. 5/8in. - 1 in.
14016	12 ft. 1-1/8in. - 1-1/2 in.
14021	12 ft. 1-5/8in. - 2 in.
14026	12 ft. 2-1/8in. - 2-1/2 in.

Part #	SAE	O.D.
14005, 6	4	7/16in.
14010, 11	6	17/32 in.
	8	21/32 in.
	10	13/16 in.
	12	15/16 in.
14015, 16	16	1-5/32 in.
	20	1-5/32 in.
14020, 21	24	1-11/16 in.
	28	1-13/16 in.
14021, 26	32	2 in.

HEAT PROTECTING PRODUCTS

Starter Heat Shield

The Starter Heat Shield was developed to eliminate starter problems caused by close proximity of the exhaust to the starter. The radiant heat of the exhaust produces enough heat to destroy the winding of the starter and solenoid. To combat this problem, Thermo-Tec™ developed an easy-to-install strap-on heat barrier to reflect the heat produced by the exhaust system. The universal kit enables the user to insulate the starter and solenoid. The unique construction of the aluminized material provides protection by reflecting 90% of radiant heat, up to 2000°F.



Universal kit fits any starter

Part Number	Description
14150	7 in. x 22 in.

Spark Plug Wire Heat Shield

This heat shield offers spark plug wires and boots the ultimate protection from conductive and radiant heat. The dual-purpose sleeving has an aluminized outer surface that reflects 90% of radiant heat, up to 2000°F, with a formulated inside silica-based fabric that prevents conductive heat from penetrating.



Part Number	Description
14200	(2) 6 in. x 1-1/2 in.
14250	(4) 6 in. x 1-1/2 in.

Ultimate heat protection for spark plug wire and boot
Available in 2 or 4 pc. sets


9

EVOLVE S40 Concept Vehicle,
Don Nicholson, Evolve Cars, Inc.,
Monrovia, CA. Photo courtesy of
Eurotuner Magazine.



HEAT PROTECTING PRODUCTS

Cool-It Plug Wire Sleeves™




This unique spark plug and ignition wire protector comes in five colors; red, orange, blue, black and silver. These dual-purpose sleeves enhance performance, reduce misfires, extend plug wire life and will not react with petroleum products. The double-wall construction keeps the wire and boot cooler in a high-temperature engine. Its universal size fits most boots, is easy to install and - most important - is non-flammable. Cool-It Plug Wire Sleeves can be used in any temperature environment from street vehicles to motor homes. Sleeves are available in packs of 4 & 6.

Part Number	Description
14260	Silver, 4 pack
14261	Red 4 pack
14262	Black, 4 pack
14263	Blue, 4 pack
14264	Orange, 4 pack

Part Number	Description
14270	Silver, 6 pack
14271	Red, 6 pack
14272	Black, 6 pack
14273	Blue, 6 pack
14274	Orange, 6 pack

Thermo-Flex Plug Wire Heat Shield™



Attractive durable finish

Thermo-Flex Plug Wire Heat Shield is manufactured with a combination of materials to provide thermal insulation and radiant heat protection. Thermo-Flex Plug Wire Heat Shields can withstand extreme temperatures of 1050°F. The heat shield offers protection for spark plug wires and boots from conductive and radiant heat with the durability of stainless steel. Each heat shield comes with a plug-wire centering grommet to provide protection to the wire as it exits the heat shield.

Part Number	Description
14300	2 pc.
14350	4 pc.

10



EVOLVE S40
Concept Vehicle,
Don Nicholson,
Evolve Cars, Inc.,
Monrovia, CA.
Photos courtesy of
Eurotuner Magazine.

HEAT PROTECTING PRODUCTS

Cool-Air Tube Heat Shield



Patent
Pending

The Cool-Air Tube Heat Shield features a unique lace-up design. This unique design allows this heat shield to fit air tubes from 2-1/2" to 4" in diameter, up to 3' in length. Like most of Thermo-Tec's products, it blocks more than 90% of radiant heat from the exhaust, protecting the air tube from the destructive effects of high heat. For an added kick, Cool-Air Tube Heat Shield comes with laces in four different colors - white, blue, red and yellow.


Unique lace-up design
fits all air tubes
Blocks more than 90% of
radiant heat

Part Number	Description
14500	3 ft. adjustable diameter shield; red, blue, white and yellow laces



HEAT BARRIER SHIELDS

Thermo-Flex



Thermo-Flex heat shield is a composite material with unlimited uses. The material is manufactured to provide abrasion resistance, thermal insulation and physical containment of hoses and wiring. The combination of aluminum and silica produces a sleeving that is flexible, lightweight and strong. Thermo-Flex can be slit for applications such as wire looms or hose-covering without disconnecting the ends of the wire or hose.

Thermo-Flex is available in inside diameter sizes of 5/8, 3/4, 1, 1-1/4, 1-1/2 and 3 inches. Three new colors - black, blue and red - have been added to the Thermo-Flex line, along with the original silver. All colors of Thermo-Flex withstand temperatures in excess of 750° F. in radiant heat.

Part Number	Description
17062	5/8 in. x 3 ft. Silver
17075	3/4 in. x 3 ft. Silver
17100	1 in. x 3 ft. Silver
17125	1 1/4 in. x 3 ft. Silver
17150	1 1/2 in. x 3 ft. Silver
17300	3 in. x 3 ft. Silver

Part Number	Description
17062-10	5/8 in. x 10 ft. Silver
17075-10	3/4 in. x 10 ft. Silver
17100-10	1 in. x 10 ft. Silver
17125-10	1 1/4 in. x 10 ft. Silver
17150-10	1 1/2 in. x 10 ft. Silver
17300-10	3 in. x 10 ft. Silver



Wire Looms

Part Number	Description
17063	5/8 in. x 3 ft. Black
17076	3/4 in. x 3 ft. Black
17101	1 in. x 3 ft. Black
17126	1 1/4 in. x 3 ft. Black
17151	1 1/2 in. x 3 ft. Black



Hose Protector

Part Number	Description
17064	5/8 in. x 3 ft. Blue
17077	3/4 in. x 3 ft. Blue
17102	1 in. x 3 ft. Blue
17127	1 1/4 in. x 3 ft. Blue
17152	1 1/2 in. x 3 ft. Blue



Air Duct Insulator


Part Number	Description
17065	5/8 in. x 3 ft. Red
17078	3/4 in. x 3 ft. Red
17103	1 in. x 3 ft. Red
17128	1 1/4 in. x 3 ft. Red
17153	1 1/2 in. x 3 ft. Red

The ultimate in hose and wire protection

HEAT BARRIER SHIELDS

Micro Louver Heat Shield

Lightweight yet extremely durable, this aluminum shield features micro air louvers. These tiny vents allow air to flow through the metal shield. The movement of air across the textured surface of the shield cools by natural convection. The flexible shield bends easily by hand, making it easy to hand-form a custom fit.




Patent
Pending

Cools by natural
convection
Lightweight yet durable,
easy to bend and form
a custom fit by hand

Part Number	Description
11710	12" x 24"
11720	24" x 24"
11740	24" x 48"

Adhesive-Backed Heat Barrier

The adhesive-backed composite material can be easily applied to any surface or wrapped around a hose or wire to make a clean, professional appearance. The highly reflective surface is capable of withstanding radiant temperatures in excess of 2000° F. Adhesive Backed Heat Barrier is now available in four sizes - 12" x 12", 12" x 24", 24" x 36" and 24" x 48".



Part Number	Description
13500	12 in x 12 in.
13575	12 in. x 24 in.
13585	24 in. x 36 in.
13590	24 in. x 48 in.


13

Retro Rides by Rich
"The heat shield was used
on the firewall; it works great!
Also gives an added high-
tech look . . . "



HEAT BARRIER SHIELDS

Aluminized Heat Barrier



Withstands radiant temperatures up to 2000° F

Part Number	Description
14001	36 in. x 40 in.
12005	Heavy-Duty Spray Adhesive, 16 oz.

This flexible, high temperature material makes it an excellent choice for any application when a versatile heat control product is needed. For conductive heat applications, the fabric side can handle temperatures in the range of 350-1200 degrees F. Clamps or straps such as Thermo -Tec's Snap Strap can be used to hold the material in place for applications around manifolds or exhaust systems.

The highly reflective metallic surface is capable of withstanding radiant temperatures of up to 2000 degrees F. For this application, the product can be installed using standard rivets with a back up washer or an adhesive.

When used as a heat shield, the barrier should be installed so the bright metallic surface faces the heat source. When used to retain heat, the fabric side faces the heat source. This allows the metallic surface to act as a barrier to prevent the penetration of liquids.

Thermo-Shield™



Thermo-Shield™ is a combination of materials laminated together to provide a barrier against the extreme conditions that under-hood components are exposed to. Radiant and conductive heat in the under-hood environment can destroy hoses and wiring by drying out or melting the rubber and plastic of these components. This aluminized adhesive-backed tape is great for wrapping the hoses and wires you don't want to remove. Thermo-Shield reflects radiant heat up to 2000°F. Thermo-Shield Ultra offers twice the thickness for extra durability.

Prevents vapor lock
Easy-to-apply
adhesive backing
Thermo-Shield Ultra
also available

Part Number	Description
14002	1-1/2 in. x 15 ft.
14000	1-1/2 in. x 15 ft. Ultra

HEAT BARRIER SHIELDS

Fire-Proof Shifter Boot

The Fire-Proof Shifter Boot is made up of woven silica with a flexible mylar finish. The shifter boot was developed as a fire barrier for high-speed engine fires. High-speed fires can burn away rubber boots in seconds. Thermo-Tec's Fire-Proof Shifter Boot gives the driver one more level of protection.




Part Number	Description
16000	Fire-Proof Shifter Boot

Extra protection from engine fires and tunnel heat

Muffler/CAT Heat Shield

The Muffler/CAT Heat Shield is made up of woven silica with a flexible mylar finish. The highly reflective heat shield can be installed between the catalytic convertor, muffler or any other component to reflect radiant heat away from the under-carriage. Kit includes fasteners.



Part Number	Description
16500	24 in. x 40 in. Mylar

Cleans easily
Tough mylar finish
Easy to trim

15



1969 Camaro Convertible
Year One Special Project Car
photos courtesy of Year One



HEAT BARRIER SHIELDS

Competition Floor Insulating Mats



The "Heat Terminator"
Ultra-lite construction

Designed with the racer in mind, the Competition Floor Insulating Mat (Heat Terminator) is made of the highest quality insulating materials available. The mat is made with a highly textured aluminum composite surface on one side, a high-temperature silica felt center and a durable Mylar facing. The Heat Terminator uses Thermal-Conductive-Technology, developed by Thermo-Tec; available in six popular sizes.

Part Number	Description
16510	8 in. x 12 in.
16520	10 in. x 18 in.
16530	18 in. x 18 in.
16540	18 in. x 24 in.
16550	24 in. x 24 in.
16560	24 in. x 36 in.

C5 Corvette Tunnel Heat Shield



Developed specifically for the
C5 Corvette
Easy-to-install

Made with a highly-textured aluminum composite surface on one side, a high-temperature silica felt center and a durable mylar composite facing. This aerospace-quality heat shield is a composite construction mat that uses existing bolts for installation. It installs in minutes by removing four bolts (bolts that you have easy access to) from each side of the plate above the exhaust. Slide shield in place above the exhaust and reinstall the bolts.

Part Number	Description
16570	C5 Corvette Tunnel Heat Shield



HEAT AND SOUND PROTECTION

Cool-It Insulating Mat

Use the Cool-It Mat to battle excessive heat and noise that penetrates the driver compartment through firewalls and floorboards. Cool-It Mat is also perfect for use in doors, under hoods and above transmission housings. Cool-It Mat is composed of resin-bonded silica blanketing insulation sandwiched between a mylar facing and a foil facing. The highly reflective mylar reflects the heat away from surfaces, while the foil side is oriented away from the heat source to conduct any penetrating across its surface, providing the ultimate in heat protection. The silica blanketing is a dual-density composite; it acts as the sound insulator. Cool-It Mat comes in two sizes - 24" x 48" and 48" x 48". It is easy to trim; it can be applied with the provided push-in fasteners or with Thermo-Tec's Heavy-Duty Spray Adhesive.



Great for heat protection and noise reduction.

Part Number	Description
14100	24 in. x 48 in.
14110	48 in. x 48 in.

Thermo Guard FR

Thermo-Guard FR offers the best in heat and sound insulation. This lightweight, durable shield does everything: reduces sound, absorbs vibration, protects from radiant heat and provides an extra layer of insulated padding. The product features 100% polyester fiber felt that provides sound and comfort control and a high-tech foil heat barrier that blocks more than 90% of radiant heat. Thermo-Guard FR is very easy to apply and it can be trimmed to fit anywhere. Great for use in trucks, RVs, buses, cars, aircraft and homes. Available in two sizes with one or two foil sides; the polyester felt material is also available without foil. May be applied with Thermo-Tec's new Heavy-Duty Spray Adhesive.



Highest quality thermal heat and sound insulation
All materials Flame Retardant - conforms to Federal Motor Vehicle Safety Standard 203
Non-allergenic, Non-toxic

17

Part Number	Description
14120	48 in. x 72 in., one-side foil
14125	48 in. x 72 in., two-side foil
14130	24 in. x 48 in., one-side foil
14135	48 in. x 72 in., fiber-felt mat
NEW 12005	Heavy-Duty Spray Adhesive, 16 oz.

ACOUSTICAL PRODUCTS

Thermo-Tec's new line of acoustical control products is designed to reduce road noise and produce better quality sound.

These high-quality mats offer the best in sound-dampening control. The high-density polyethylene film with an aluminum foil composite is abrasion and tear resistant. Both mats are 70 mil thick with a high-temperature adhesive backing. Installation is simple: cut to fit, peel away backing, press in place, remove air bubbles with the Mat Roller, enjoy the improved sound. Both products come in three different sizes - 12" x 12" (2 pcs), 36" x 24" and 36" x 60". We also offer the best tool for installation of these acoustical mats - the 2" Mat Roller.

Super Sonic Mat



Gray film provides great structural integrity and strength, allowing material to bend, flex and return to shape even under tension forces.

Part Number	Description
14700	Super Sonic Mat 12" x 12" (2 pcs)
14710	36" x 24"
14720	36" x 60"
14800	Mat Roller

The Suppressor



The Suppressor is ideal where both sound and radiant heat control is desired; perfect for firewalls, floorboards and doors.

Part Number	Description
14600	The Suppressor 12" x 12" (2 pcs)
14610	36" x 24"
14620	36" x 60"

"We install the Thermo-Tec insulation before the console plate is installed in the gauge cluster . . ."



From Corvette Fever, November 2005:

"Insulating the rear compartment area first is best. This prevents damaging the insulation on the floor area and getting the insulating material everywhere throughout the interior. We tried a new heat-and-sound-deadening insulating product from Thermo-Tec called Cool-It that can be applied to the entire interior compartment. The insulator sticks to just about any surface, making it simple to install.

We had plenty of seat time in Project Shark Attack on the '05 Hot Rod Power Tour and we're happy we installed the Thermo-Tec Cool-It insulation, as it cut down on the interior heat levels dramatically."

Photos and text reprinted with permission.



"The Cool-It Thermo-Tec insulation has already been installed in the rear compartment and rolled out for good adhesion . . ."





*Thermo-Tec Automotive, Inc.
P.O. Box 96
Greenwich, OH 44837
800-274-8437
419-962-4013 Fax
419-962-4556 Outside USA*

www.thermotec.com

Thermo-Tec Products - Made in the U.S.A.